THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CXVI

January-December 2012

Subject Index

AERODYNAMICS

A career in vortices edge forces. J. Lamar, pp 101-152.
A case study on the aerodynamic heating of a hypersonic vehicle. M. Mifsud, D. Estruch-Samper, D. MacManus, R. Chaplin and J. Stollery, pp 873-893.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design. W. Sheng, W. Chan and R. Galbraith, pp 521-539.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers. V.M. Moraris, N.J. Lawson and K.P. Garry, pp 757-767.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing. M.R.A. Nabawy, M.M. ElNomrossy, M.M. Abdelrahman and G.M. ElBayoumi, pp 685-708.
Aerodynamics modelling for training on the edge of the flight envelope. D.R. Gingras and J.N. Ralston, pp 67-86.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre, pp 599-620.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre, pp 407-430.
An optimal control approach for alleviation of tiltrotor gust response. D. Muro, M. MolicaColella, J. Serafini and M. Gennaretti, pp 651-666.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method. A.V.G. Cavalieri and P.A.O. Soviero, pp 391-406.
Analytical Volterra-based models for nonlinear low order flight dynamics approximation systems. A. Omran and B. Newman, pp 1123-1153.
Camera tracking and qualitative airflow assessment of a two-turn erect spin. R.I. Hoff and G.B. Gratton, pp 541-562.
Characterising low-speed, transitional cavity flow. Y.T. Ng, pp 1185-1199.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight. J.-S. Park and S.N. Jung, pp 229-249.
Computational investigation of cavity flow control using a passive device. B. Khanal, K. Knowles and A.J. Saddington, pp 153-174.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane. M.A. Bromfield and G.B. Gratton, pp 467-499.
Flight simulator study on the influence of vortex curvature on wake encounter hazard using LES wind fields. D. Vechtel, pp 287-302.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer. W. Jin, R.R. Taghav and S. Farokhi, pp 251-270.
Helicopter flight characteristics in icing conditions. Y. Cao, G. Li and R.A. Hess, pp 963-979.
Hovering rotor computations using an aeroelastic blade model. F. Dehaeze and G.N. Barakos, pp 621-649.
Multi-disciplinary simulation of propeller-turboprop aircraft flight. A. Filippone and Z. Mohamed-Kassim, pp 985-1014.
Numerical investigation of optimal pin location on a supersonic projectile. M. Bell, T.D. Robinson and D. Robinson, pp 271-286.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet. S. Janarthanam and V. Babu, pp 833-846.
Performance and control optimisations using the adaptive torsion wing. R.M. Ajaj, M.I. Friswell,

W.G. Dettmer, G. Allegri and A.T. Isikveren, pp 1061-1077.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight. M. Bagiev, D.G. Thomson, D. Anderson and D. Murray-Smith, pp 87-98.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms. H. Rodríguez-Cortés and A. Arias-Montaño, pp 175-188.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction. M.S. Murugan, R. Ganguli and D. Harursampath, pp 709-725.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed. S. Punniyakotti and J.L. Stollery, pp 1207-1215.
Use of aerofoil section dynamic stall synthesis methods in rotor design. W. Chan and J. Perry, pp 501-520.

AEROELASTICITY

A further case for variable geometry. W.A.T. Fritz'Johl, pp 23-44.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 451-465.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 451-465.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 433-449.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.
Hovering rotor computations using an aeroelastic blade model. F. Dehaeze and G.N. Barakos, pp 621-649.

AEROSPACE ENGINEERING

6U CubeSat commercial applications. S.R. Tsitas and J. Kingston, pp 189-198.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter. Y. Jiao, J. Wang, X. Pan and H. Zhou, pp 373-389.

AIRCRAFT DESIGN

A case study on the aerodynamic heating of a hypersonic vehicle. M. Mifsud, D. Estruch-Samper, D. MacManus, R. Chaplin and J. Stollery, pp 873-893.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 433-449.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints. V. Dattoma, M. DeGiorgi, S. Giancane, P. Manco and A.E. Morabito, pp 727-741.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing. M.R.A. Nabawy, M.M. ElNomrossy, M.M. Abdelrahman and G.M. ElBayoumi, pp 685-708.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.
Joint fixity effect on structural design of a box wing aircraft. P.O. Jemitola, J. Fielding and P. Stocking, pp 363-372.
Performance and control optimisations using the adaptive torsion wing. R.M. Ajaj, M.I. Friswell, W.G. Dettmer, G. Allegri and A.T. Isikveren, pp 1061-1077.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms. H. Rodríguez-Cortés and A. Arias-Montaño, pp 175-188.
Shape optimisation in the design of thin-walled shells as components of aerospace structures. P.A. SuarezEspinoza, K-U. Bletzinger, H.R.E.M. Hörnlein, F. Daoud, G. Schuhmacher and M. Klug, pp 793-814.
Use of aerofoil section dynamic stall synthesis methods in rotor design. W. Chan and J. Perry, pp 501-520.

AIRWORTHINESS

Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight. J.-S. Park and S.N. Jung, pp 229-249.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane. M.A. Bromfield and G.B. Gratton, pp 467-499.
Multi-disciplinary simulation of propeller-turboprop aircraft flight. A. Filippone and Z. Mohamed-Kassim, pp 985-1014.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight. M. Bagiev, D.G. Thomson, D. Anderson and D. Murray-Smith, pp 87-98.

Simulating the environment at the helicopter-ship dynamic interface: research, development and application. S.J. Hodge, J.S. Forrest, G.D. Padfield and I. Owen, pp 1155-1184.

BOOK REVIEWS — BY AUTHOR

Adrian, R.J. and Westerweel, J. Particle Image Velocimetry, p 219.
Anderson, J.D. Fundamentals of Aerodynamics (Fifth edition), p 222.
Bazant, Z.P. and Cedolin, L. Stability of Structures: Elastic, Inelastic, Fracture and Damage Theories, p 218.
Benaroya, H. and Nagurka, M.L. Mechnical Vibration: Analysis, Uncertaincies and Control (Third edition), p 220.
Blockley, R. and Shyy, W. (Eds) Encyclopedia of Aerospace Engineering — Volume 3: Structural Technology, p 323.
Blockley, R. and Shyy, W. (Eds) Encyclopedia of Aerospace Engineering — Volume 4: Materials Technology, p 326.
Blockley, R. and Shyy, W. (Eds) Encyclopedia of Aerospace Engineering — Volume 5: Dynamics and Control, p 329.
Bowersox, R.D.W. and Schetz, J.A. Boundary Layer Analysis (Second edition), p 333.
Cedolin, L. and Bazant, Z.P. Stability of Structures: Elastic, Inelastic, Fracture and Damage Theories, p 218.
Chen, V.C. The Micro-Doppler Effect in Radar, p 221.
Deakin, R.S. Battlespace Technologies: Network-Enabled Information Dominance, p 980.
Genta, G. Introduction to the Mechanics of Space Robots, p 770.
Gibson, R.F. Principles of Composite Material Mechanics (Third edition), p 563.
Golfman, Y. Hybrid Anistropic Materials for Structural Aviation Parts, p 331.
Gulcat, U. Fundamentals of Modern Unsteady Aerodynamics, p 217.
Gundlach, J. and Paley, D.A. Designing Unmanned Aircraft Systems: a Comprehensive Approach, p 981.
Jazar, R.N. Advanced Dynamics: Rigid Body, Multibody and Aerospace Applications, p 330.
Kasdin, M.J. Engineering Dynamics: a Comprehensive Introduction, p 982.
Kleyner, A. and O'Conner, P.D.T. Practical Reliability Engineering (Fifth edition), p 565.
Langton, R. and MacIsaac, B. Gas Turbine Propulsion Systems, p 226.
Lechevnin, N. and Rabbath, C.A. Safety and Reliability in Co-operating Unmanned Aerial Systems, p 564.
Lewisetal, F.L. Optimal Control (Third edition), p 770.
MacIsaac, B. and Langton, R. Gas Turbine Propulsion Systems, p 226.
Maloratsky, L.G. Integrated Microwave Front-Ends: with Avionics Applications, p 983.
McCormick, B.W. Introduction to Flight Testing and Applied Aerodynamics, p 334.
Nagurka, M.L. and Benaroya, H. Mechnical Vibration: Analysis, Uncertaincies and Control (Third edition), p 220.
Napolitano, M.R. Aircraft Dynamics: From Modeling to Simulation, p 680.
Narasaiah, G.L. Aircraft Structures, p 681.
O'Conner, P.D.T. and Kleyner, A. Practical Reliability Engineering (Fifth edition), p 565.
Paley, D.A. and Gundlach, J. Designing Unmanned Aircraft Systems: a Comprehensive Approach, p 981.
Rabbath, C.A. and Lechevnin, N. Safety and Reliability in Co-operating Unmanned Aerial Systems, p 564.
Rodden, W.P. Theoretical and Computational Aeroelasticity, p 980.
Schetz, J.A. and Bowersox, R.D.W. Boundary Layer Analysis (Second edition), p 333.
Sears, W.M. and Telionis, D.P. (Eds) Introduction to Theoretical Aerodynamics and Hydrodynamics, p 329.
Shyy, W. and Blockley, R. (Eds) Encyclopedia of Aerospace Engineering — Volume 3: Structural Technology, p 323.
Shyy, W. and Blockley, R. (Eds) Encyclopedia of Aerospace Engineering — Volume 4: Materials Technology, p 326.
Shyy, W. and Blockley, R. (Eds) Encyclopedia of Aerospace Engineering — Volume 5: Dynamics and Control, p 329.
Telionis, D.P. and Sears, W.M. (Eds) Introduction to Theoretical Aerodynamics and Hydrodynamics, p 329.
Tewari, A. Advanced Control of Aircraft, Spacecraft and Rockets, p 224.
Torenbeek, E. and Wittenberg, H. Flight Physics: Essentials of Aeronautical Disciplines and Technology, with Historical Notes, p 223.
Westerweel, J. and Adrian, R.J. Particle Image Velocimetry, p 219.
Wittenberg, H. and Torenbeek, E. Flight Physics: Essentials of Aeronautical Disciplines and Technology, with Historical Notes, p 223.
Yakimenko, O.A. Engineering Computations and Modelling in MATLAB/Simulink, p 774.
Yanushevsky, R. Guidance of Unmanned Aerial Vehicles, p 564.

BOOK REVIEWS — BY TITLE

Advanced Control of Aircraft, Spacecraft and Rockets. A. Tewari, p 224.
Advanced Dynamics: Rigid Body, Multibody and Aerospace Applications. R.N. Jazar, p 330.
Aircraft Dynamics: From Modeling to Simulation. M.R. Napolitano, p 680.
Aircraft Structures. G.L. Narasaiah, p 681.
Battlespace Technologies: Network-Enabled Information Dominance. R.S. Deakin, p 980.
Boundary Layer Analysis (Second edition). J.A. Schetz and R.D.W. Bowersox, p 333.
Designing Unmanned Aircraft Systems: a Comprehensive Approach. J. Gundlach and D.A. Paley, p 981.
Encyclopedia of Aerospace Engineering — Volume 3: Structural Technology. R. Blockley and W. Shyy (Eds), p 323.
Encyclopedia of Aerospace Engineering — Volume 4: Materials Technology. R. Blockley and W. Shyy (Eds), p 326.
Encyclopedia of Aerospace Engineering — Volume 5: Dynamics and Control. R. Blockley and W. Shyy (Eds), p 329.
Engineering Computations and Modelling in MATLAB/Simulink. O.A. Yakimenko, p 774.
Engineering Dynamics: a Comprehensive Introduction. M.J. Kasdin, p 982.
Flight Physics: Essentials of Aeronautical Disciplines and Technology, with Historical Notes. E. Torenbeek and H. Wittenberg, p 223.
Fundamentals of Aerodynamics (Fifth edition). J.D. Anderson, p 222.
Fundamentals of Modern Unsteady Aerodynamics. U. Gulcat, p 217.
Gas Turbine Propulsion Systems. B. MacIsaac and R. Langton, p 226.
Guidance of Unmanned Aerial Vehicles. R. Yanushevsky, p 564.
Hybrid Anistropic Materials for Structural Aviation Parts. Y. Golfman, p 331.
Integrated Microwave Front-Ends: with Avionics Applications. L.G. Maloratsky, p 983.
Introduction to Flight Testing and Applied Aerodynamics. B.W. McCormick, p 334.
Introduction to the Mechanics of Space Robots. G. Genta, p 770.
Introduction to Theoretical Aerodynamics and Hydrodynamics. W.M. Sears and D.P. Telionis (Ed), p 329.
Mechnical Vibration: Analysis, Uncertaincies and Control (Third edition). H. Benaroya and M.L. Nagurka, p 220.
Optimal Control (Third edition). F.L. Lewisetal, p 770.
Particle Image Velocimetry. R.J. Adrian and J. Westerweel, p 219.
Practical Reliability Engineering (Fifth edition). P.D.T. O'Conner and A. Kleyner, p 565.
Principles of Composite Material Mechanics (Third edition). R.F. Gibson, p 563.
Safety and Reliability in Co-operating Unmanned Aerial Systems. C.A. Rabbath and N. Lechevnin, p 564.
Stability of Structures: Elastic, Inelastic, Fracture and Damage Theories. Z.P. Bazant and L. Cedolin, p 218.
The Micro-Doppler Effect in Radar. V.C. Chen, p 221.
Theoretical and Computational Aeroelasticity. W.P. Rodden, p 980.

COMPOSITES

A finite element analysis of impact damage in composite laminates. Y. Shi and C. Soutis, pp 1331-1347.
Finite element modelling of sandwich panels with graded core under various boundary conditions. M. Kashtalyan and B. Woodward, pp 1289-1314.
Modelling of impact damage zones in composite laminates for strength after impact. R. Olsson, pp 1349-1365.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations. E.J. Pineda and A.M. Waas, pp 1221-1246.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements. X. Zhang, H. Liu and F. Bianchi, pp 1367-1381.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction. M.S. Murugan, R. Ganguli and D. Harursampath, pp 709-725.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination. A.T. Rhead, R. Butler, W. Liu and N. Baker, pp 1313-1328.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading. J. Zhou, Z.W. Guan and W.J. Cantwell, pp 1247-1262.

COMPUTATIONAL FLUID DYNAMICS

A career in vortices edge forces. J. Lamar, pp 101-152.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing. M.R.A. Nabawy, M.M. ElNomrossy, M.M. Abdelrahman and G.M. ElBayoumi, pp 685-708.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method. A.V.G. Cavalieri and P.A.O. Soviero, pp 391-406.

Characterising low-speed, transitional cavity flow. Y.T. Ng, pp 1185-1199.
Computational investigation of cavity flow control using a passive device. B. Khanal, K. Knowles and A.J. Saddington, pp 153-174.
Flight simulator study on the influence of vortex curvature on wake encounter hazard using LES wind fields. D. Vechtel, pp 287-302.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions. A. Rona, M. Monti and C. Airiau, pp 569-598.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed. S. Punniyakotti and J.L. Stollery, pp 1207-1215.

COMPUTATIONAL TECHNIQUES

Characterising low-speed, transitional cavity flow. Y.T. Ng, pp 1185-1199.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight. J.-S. Park and S.N. Jung, pp 229-249.

DAMAGE TOLERANCE

A finite element analysis of impact damage in composite laminates. Y. Shi and C. Soutis, pp 1331-1347.
Modelling of impact damage zones in composite laminates for strength after impact. R. Olsson, pp 1349-1365.
Parametric damage tolerance design of metallic aeronautical stiffened panels. G. Molinari, I. Meneghin, M. Melega and E. Troiani, pp 815-831.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements. X. Zhang, H. Liu and F. Bianchi, pp 1367-1381.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading. J. Zhou, Z.W. Guan and W.J. Cantwell, pp 1247-1262.

ENVIRONMENTAL ENGINEERING

A framework for environmental risk management. S. Lloyd, A. Clifton, J. Lee, L. Elghali and C. France, pp 941-961.
Aircraft conceptual design for optimal environmental performance. R.P. Henderson, J.R.R.A. Martins and R.E. Perez, pp 1-22.
Aviation renewable fuels: technical status and challenges for commercialisation. S. Anderson, J. Cooper, N. Gudde and J. Howes, pp 1103-1122.

FATIGUE

Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations. E.J. Pineda and A.M. Waas, pp 1221-1244.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method. B. Falzon, N. Muthu, S.K. Maiti and I. Guiamatsi, pp 1263-1287.
Performance of Glare panels subjected to intense pressure pulse loading. C. Soutis, G. Mohamed and A. Hodzic, pp 667-679.

FLIGHT CONTROL

Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane. M.A. Bromfield and G.B. Gratton, pp 467-499.
High-accuracy four-dimensional trajectory prediction for civil aircraft. W. Schuster, M. Porretta and W. Ochieng, pp 45-66.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note). M.M. Lone, N. Ruseno and A.K. Cooke, pp 1201-1206.

FLIGHT CONTROL SYSTEMS

A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 451-465.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 433-449.
An optimal control approach for alleviation of tiltrotor gust response. D. Muro, M. MolicaColella, J. Serafini and M. Gennaretti, pp 651-666.
Performance and control optimisations using the adaptive torsion wing. R.M. Ajaj, M.I. Friswell, W.G. Dettmer, G. Allegri and A.T. Isikveren, pp 1061-1077.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note). M.M. Lone, N. Ruseno and A.K. Cooke, pp 1201-1206.

FLIGHT DYNAMICS

Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre,
pp 599-620.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre, pp 407-430.

Predictive inverse simulation of helicopters in aggressive manoeuvring flight. M. Bagiev, D.G. Thomson, D. Anderson and D. Murray-Smith, pp 87-98.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application. S.J. Hodge, J.S. Forrest, G.D. Padfield and I. Owen, pp 1155-1184.

HUMAN FACTORS

Factors affecting safety during night visual approach segments for offshore helicopters. F.A.C. Nascimento, A. Majumdar and S. Jarvis, pp 303-322.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots. R.O. Rogers and A. Boquet, pp 1015-1039.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note). M.M. Lone, N. Ruseno and A.K. Cooke, pp 1201-1206.

HYPERSONIC FLIGHT

A case study on the aerodynamic heating of a hypersonic vehicle. M. Mifsud, D. Estruch-Samper, D. MacManus, R. Chaplin and J. Stollery, pp 873-893.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet. S. Janarthanam and V. Babu, pp 833-846.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed. S. Punniyakotti and J.L. Stollery, pp 1207-1215.

ICING

Flow distortion in an S-duct inlet with simulated icing effect and heat transfer. W. Jin, R.R. Taghav and S. Farokhi, pp 251-270.
Helicopter flight characteristics in icing conditions. Y. Cao, G. Li and R.A. Hess, pp 963-979.
In-flight ice formation simulation on finite wings and air intakes. S. Özgen and M. Canibek, pp 337-362.

MATERIALS

A finite element analysis of impact damage in composite laminates. Y. Shi and C. Soutis, pp 1331-1347.
Finite element modelling of sandwich panels with graded core under various boundary conditions. M. Kashtalyan and B. Woodward, pp 1289-1314.
Modelling of impact damage zones in composite laminates for strength after impact. R. Olsson, pp 1349-1366.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations. E.J. Pineda and A.M. Waas, pp 1221-1244.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method. B. Falzon, N. Muthu, S.K. Maiti and I. Guiamatsi, pp 1263-1287
Parametric damage tolerance design of metallic aeronautical stiffened panels. G. Molinari, I. Meneghin, M. Melega and E. Troiani, pp 815-831.
Performance of Glare panels subjected to intense pressure pulse loading. C. Soutis, G. Mohamed and A. Hodzic, pp 667-679.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements. X. Zhang, H. Liu and F. Bianchi, pp 1367-1381.
Shape optimisation in the design of thin-walled shells as components of aerospace structures. P.A. SuarezEspinoza, K-U. Bletzinger, H.R.E.M. Hörnlein, F. Daoud, G. Schuhmacher and M. Klug, pp 793-814.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination. A.T. Rhead, R. Butler, W. Liu and N. Baker, pp 1315-1330.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading. J. Zhou, Z.W. Guan and W.J. Cantwell, pp 1247-1262.

PROPULSION

Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet. S. Janarthanam and V. Babu, pp 833-846.

RENEWABLE FUELS

Aviation renewable fuels: technical status and challenges for commercialisation. S. Anderson, J. Cooper, N. Gudde and J. Howes, pp 1103-1122.

ROTORCRAFT

Advancement of aerofoil section dynamic stall synthesis methods for rotor design. W. Sheng, W. Chan and R. Galbraith, pp 521-539.
An optimal control approach for alleviation of tiltrotor gust response. D. Muro, M. MolicaColella, J. Serafini and M. Gennaretti, pp 651-666.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight. J.-S. Park and S.N. Jung, pp 229-249.
Factors affecting safety during night visual approach segments for offshore helicopters. F.A.C. Nascimento, A. Majumdar and S. Jarvis, pp 303-322.
Helicopter flight characteristics in icing conditions. Y. Cao, G. Li and R.A. Hess, pp 963-979.
High-accuracy four-dimensional trajectory prediction for civil aircraft. W. Schuster, M. Porretta and W. Ochieng, pp 45-66.

Hovering rotor computations using an aeroelastic blade model. F. Dehaeze and G.N. Barakos, pp 621-649.
Operational performance of inlet barrier filters for rotorcraft. N. Bojdo and A. Filippone, pp 847-869.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight. M. Bagiev, D.G. Thomson, D. Anderson and D. Murray-Smith, pp 87-98.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application. S.J. Hodge, J.S. Forrest, G.D. Padfield and I. Owen, pp 1155-1184.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction. M.S. Murugan, R. Ganguli and D. Harursampath, pp 709-725.
Use of aerofoil section dynamic stall synthesis methods in rotor design. W. Chan and J. Perry, pp 501-520.

SAFETY

Factors affecting safety during night visual approach segments for offshore helicopters. F.A.C. Nascimento, A. Majumdar and S. Jarvis, pp 303-322.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots. R.O. Rogers and A. Boquet, pp 1015-1039.

SIMULATION

Flight simulator study on the influence of vortex curvature on wake encounter hazard using LES wind fields. D. Vechtel, pp 287-302.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer. W. Jin, R.R. Taghav and S. Farokhi, pp 251-270.
In-flight ice formation simulation on finite wings and air intakes. S. Özgen and M. Canibek, pp 337-362.
Multi-disciplinary simulation of propeller-turboprop aircraft flight. A. Filippone and Z. Mohamed-Kassim, pp 985-1014.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet. S. Janarthanam and V. Babu, pp 833-846.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight. M. Bagiev, D.G. Thomson, D. Anderson and D. Murray-Smith, pp 87-98.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application. S.J. Hodge, J.S. Forrest, G.D. Padfield and I. Owen, pp 1155-1184.

STRUCTURES

A finite element analysis of impact damage in composite laminates. Y. Shi and C. Soutis, pp 1331-1347.
A further case for variable geometry. W.A.T. Fritz'Johl, pp 23-44.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints. V. Dattoma, M. DeGiorgi, S. Giancane, P. Manco and A.E. Morabito, pp 727-741.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing. M.R.A. Nabawy, M.M. ElNomrossy, M.M. Abdelrahman and G.M. ElBayoumi, pp 685-708.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.
Finite element modelling of sandwich panels with graded core under various boundary conditions. M. Kashtalyan and B. Woodward, pp 1289-1314.
Joint fixity effect on structural design of a box wing aircraft. P.O. Jemitola, J. Fielding and P. Stocking, pp 363-372.
Modelling of impact damage zones in composite laminates for strength after impact. R. Olsson, pp 1349-1366.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations. E.J. Pineda and A.M. Waas, pp 1221-1246.
Numerical investigation of optimal pin location on a supersonic projectile. M. Bell, T.D. Robinson and D. Robinson, pp 271-286.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method. B. Falzon, N. Muthu, S.K. Maiti and I. Guiamatsi, pp 1263-1287
Parametric damage tolerance design of metallic aeronautical stiffened panels. G. Molinari, I. Meneghin, M. Melega and E. Troiani, pp 815-831.
Performance of Glare panels subjected to intense pressure pulse loading. C. Soutis, G. Mohamed and A. Hodzic, pp 667-679.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements. X. Zhang, H. Liu and F. Bianchi, pp 1367-1381.
Shape optimisation in the design of thin-walled shells as components of aerospace structures. P.A. Suarez Espinoza, K-U. Bletzinger, H.R.E.M. Hörnlein, F. Daoud, G. Schuhmacher and M. Klug, pp 793-814.
Shape optimisation using CAD linked free-form deformation. A. Nurdin, N.W. Bressloff, A.J. Keane and C.M.E. Holden, pp 915-939.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed. S. Punniyakotti and J.L. Stollery, pp 1207-1215.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading. J. Zhou, Z.W. Guan and W.J. Cantwell, pp 1247-1262.

SUPERSONIC FLIGHT

Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.

Numerical investigation of optimal pin location on a supersonic projectile. M. Bell, T.D. Robinson and D. Robinson, pp 271-286.

The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed. S. Punniyakotti and J.L. Stollery, pp 1207-1215.

SYSTEMS

A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 451-465.

A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design. T.L. Grigorie, R.M. Botez, A.V. Popov, M. Mamou and Y. Mébarki, pp 433-449.

Effects of targeting pod modification on F/A-18C Hornet weapons release. C.W. O'Brien, M.R. Snyder, E.N. Hallberg and A. Cenko, pp 743-755.

Flow distortion in an S-duct inlet with simulated icing effect and heat transfer. W. Jin, R.R. Taghav and S. Farokhi, pp 251-270.

Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle. C-S. Lee and F-B. Hsiao, pp 895-914.

Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter. Y. Jiao, J. Wang, X. Pan and H. Zhou, pp 373-389.

Operational performance of inlet barrier filters for rotorcraft. N. Bojdo and A. Filippone, pp 847-869.

Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note). M.M. Lone, N. Ruseno and A.K. Cooke, pp 1201-1206.

TESTING

A case study on the aerodynamic heating of a hypersonic vehicle. M. Mifsud, D. Estruch-Samper, D. MacManus, R. Chaplin and J. Stollery, pp 873-893.

Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre, pp 599-620.

Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers. G. Doig, T.J. Barber, A.J. Neely and D.D. Myre, pp 407-430.

Computational investigation of cavity flow control using a passive device. B. Khanal, K. Knowles and A.J. Saddington, pp 153-174.

Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins. R.D. Firouz-Abadi and S.M. Alavi, pp 777-792.

Effects of targeting pod modification on F/A-18C Hornet weapons release. C.W. O'Brien, M.R. Snyder, E.N. Hallberg and A. Cenko, pp 743-755.

TRAINING

Aerodynamics modelling for training on the edge of the flight envelope. D.R. Gingras and J.N. Ralston, pp 67-86.

The benefits and limitations of ground-based upset-recovery training for general aviation pilots. R.O. Rogers and A. Boquet, pp 1015-1039.

UAVS

Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing. M.R.A. Nabawy, M.M. ElNomrossy, M.M. Abdelrahman and G.M. ElBayoumi, pp 685-708.

Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle. C-S. Lee and F-B. Hsiao, pp 895-914.

Influence of stores on the flow inside UCAV weapon bays. S.J. Lawson and G.N. Barakos, pp 199-215.

UNSTEADY AERODYNAMICS

Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads. B. Dahdi, M. Mamou, M. Khalid, S. Benissaad and Z. Nemouchi, pp 1041-1060.

Improved extrapolation of steady turbulent aerodynamics using a non-linear POD-based reduced order model. R. Zimmermann and S. Görtz, pp 1079-1100.

On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions. A. Rona, M. Monti and C. Airiau, pp 569-598

Author Index

ABDELRAHMAN, M.M., ELBAYOUMI, G.M., NABAWY, M.R.A. and ELNOMROSSY, M.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

AIRIAU, C., RONA, A. and MONTI, M.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G., ALLEGRI, G. and ISIKVEREN, A.T.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

ALAVI, S.M. and FIROUZ-ABADI, R.D.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins, pp 777-792.

ALLEGRI, G., ISIKVEREN, A.T., AJAJ, R.M., FRISWELL, M.I. and DETTMER, W.G.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

ANDERSON, S., COOPER, J., GUDDE, N. and HOWES, J.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

ANDERSON, D., MURRAY-SMITH, D., BAGIEV, M. and THOMSON, D.G.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

ARIAS-MONTAÑO, A. and RODRÍGUEZ-CORTÉS, H.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms, pp 175-188.

BABU, V. and JANARTHANAM, S.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet, pp 833-846.

BAGIEV, M., THOMSON, D.G., ANDERSON, D. and MURRAY-SMITH, D.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

BAKER, N., RHEAD, A.T., BUTLER, R. and LIU, W.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

BARAKOS, G.N. and LAWSON, S.J.
Influence of stores on the flow inside UCAV weapon bays, pp 199-215.

BARAKOS, G.N. and DEHAEZE, F.
Hovering rotor computations using an aeroelastic blade model, pp 621-649.

BARBER, T.J., NEELY, A.J., MYRE, D.D. and DOIG, G.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

BARBER, T.J., NEELY, A.J., MYRE, D.D. and DOIG, G.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

BELL, M., ROBINSON, T.D. and ROBINSON, D.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

BENISSAAD, S., NEMOUCHI, Z., DAHDI, B., MAMOU, M. and KHALID, M.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

BIANCHI, F., ZHANG, X. and LIU, H.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G., KLUG, M. and SUAREZESPINOZA, P.A.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

BOJDO, N. and FILIPPONE, A.
Operational performance of inlet barrier filters for rotorcraft, pp 847-869.

BOQUET, A. and ROGERS, R.O.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots, pp 1015-1039.

BOTEZ, R.M., POPOV, A.V., MAMOU, M., MÉBARKI, Y. and GRIGORIE, T.L.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

BOTEZ, R.M., POPOV, A.V., MAMOU, M., MÉBARKI, Y. and GRIGORIE, T.L.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

BRESSLOFF, N.W., KEANE, A.J., HOLDEN, C.M.E. and NURDIN, A.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

BROMFIELD, M.A. and GRATTON, G.B.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane, pp 467-499.

BUTLER, R., LIU, W., BAKER, N. and RHEAD, A.T.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

CANIBEK, M. and ÖZGEN, S.
In-flight ice formation simulation on finite wings and air intakes, pp 337-362.

CANTWELL, W.J., ZHOU, J. and GUAN, Z.W.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

CAO, Y., LI, G. and HESS, R.A.
Helicopter flight characteristics in icing conditions, pp 963-979.

CAVALIERI, A.V.G. and SOVIERO, P.A.O.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method, pp 391-406.

CENKO, A., O'BRIEN, C.W., SNYDER, M.R. and HALLBERG, E.N.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

CHAN, W., GALBRAITH, R. and SHENG, W.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

CHAN, W. and PERRY, J.
Use of aerofoil section dynamic stall synthesis methods in rotor design, pp 501-520.

CHAPLIN, R., STOLLERY, J., MIFSUD, M., ESTRUCH-SAMPER, D. and MACMANUS, D.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

CLIFTON, A., LEE, J., ELGHALI, L., FRANCE, C. and LLOYD, S.
A framework for environmental risk manag ment, pp 941-961.

COOKE, A.K., LONE, M.M. and RUSENO, N.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

COOPER, J., GUDDE, N., HOWES, J. and ANDERSON, S.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

DAHDI, B., MAMOU, M., KHALID, M., BENISSAAD, S. and NEMOUCHI, Z.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

DAOUD, F., SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U. and HÖRNLEIN, H.R.E.M.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

DATTOMA, V., DEGIORGI, M., GIANCANE, S., MANCO, P. and MORABITO, A.E.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

DEGIORGI, M., GIANCANE, S., MANCO, P., MORABITO, A.E. and DATTOMA, V.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

DEHAEZE, F. and BARAKOS, G.N.
Hovering rotor computations using an aeroelastic blade model, pp 621-649.

DETTMER, W.G., ALLEGRI, G., ISIKVEREN, A.T., AJAJ, R.M. and FRISWELL, M.I.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

DOIG, G., BARBER, T.J., NEELY, A.J. and MYRE, D.D.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

DOIG, G., BARBER, T.J., NEELY, A.J. and MYRE, D.D.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

ELBAYOUMI, G.M., NABAWY, M.R.A., ELNOMROSSY, M.M. and ABDELRAHMAN, M.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

ELGHALI, L., FRANCE, C., LLOYD, S., CLIFTON, A. and LEE, J.
A framework for environmental risk management, pp 941-961.

ELNOMROSSY, M.M., ABDELRAHMAN, M.M., ELBAYOUMI, G.M. and NABAWY, M.R.A.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

ESTRUCH-SAMPER, D., MACMANUS, D., CHAPLIN, R., STOLLERY, J. and MIFSUD, M.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

FALZON, B., MUTHU, N., MAITI, S.K. and GUIAMATSI, I.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

FAROKHI, S., JIN, W. and TAGHAV, R.R.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

FIELDING, J., STOCKING, P. and JEMITOLA, P.O.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

FILIPPONE, A. and MOHAMED-KASSIM, Z.
Multi-disciplinary simulation of propeller-turboprop aircraft flight, pp 985-1014.

FILIPPONE, A. and BOJDO, N.
Operational performance of inlet barrier filters for rotorcraft, pp 847-869.

FIROUZ-ABADI, R.D. and ALAVI, S.M.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins, pp 777-792.

FORREST, J.S., PADFIELD, G.D., OWEN, I. and HODGE, S.J.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

FRANCE, C., LLOYD, S., CLIFTON, A., LEE, J. and ELGHALI, L.
A framework for environmental risk management, pp 941-961.

FRISWELL, M.I., DETTMER, W.G., ALLEGRI, G., ISIKVEREN, A.T. and AJAJ, R.M.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

FRITZ'JOHL, W.A.T.
A further case for variable geometry, pp 023-44.

GALBRAITH, R., SHENG, W. and CHAN, W.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

GANGULI, R., HARURSAMPATH, D. and MURUGAN, M.S.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

GARRY, K.P., MORARIS, V.M. and LAWSON, N.J.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers , pp 757-767.

GENNARETTI, M., MURO, D., MOLICACOLELLA, M. and SERAFINI, J.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

GIANCANE, S., MANCO, P., MORABITO, A.E., DATTOMA, V. and DEGIORGI, M.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

GINGRAS, D.R. and RALSTON, J.N.
Aerodynamics modelling for training on the edge of the flight envelope, pp 67-86.

GÖRTZ, S. and ZIMMERMANN, R.
Improved extrapolation of steady turbulent aerodynamics using a non-linear POD-based reduced order model, pp 1079-1100.

GRATTON, G.B. and BROMFIELD, M.A.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane, pp 467-499.

GRATTON, G.B. and HOFF, R.I.
Camera tracking and qualitative airflow assessment of a two-turn erect spin, pp 541-562.

GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V., MAMOU, M. and MÉBARKI, Y.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V., MAMOU, M. and MÉBARKI, Y.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

GUAN, Z.W., CANTWELL, W.J. and ZHOU, J.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

GUDDE, N., HOWES, J., ANDERSON, S. and COOPER, J.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

GUIAMATSIA, I., FALZON, B., MUTHU, N. and MAITI, S.K.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

HALLBERG, E.N., CENKO, A., O'BRIEN, C.W. and SNYDER, M.R.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

HARURSAMPATH, D., MURUGAN, M.S. and GANGULI, R.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

HENDERSON, R.P., MARTINS, J.R.R.A. AND PEREZ., R.E.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

HESS, R.A., CAO, Y. and LI, G.
Helicopter flight characteristics in icing conditions, pp 963-979.

HODGE, S.J., FORREST, J.S., PADFIELD, G.D. and OWEN, I.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

HODZIC, A., SOUTIS, C. and MOHAMED, G.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

HOFF, R.I. and GRATTON, G.B.
Camera tracking and qualitative airflow assessment of a two-turn erect spin, pp 541-562.

HOLDEN, C.M.E., NURDIN, A., BRESSLOFF, N.W. and KEANE, A.J.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A. and BLETZINGER, K-U.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

HOWES, J., ANDERSON, S., COOPER, J. and GUDDE, N.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

HSIAO, F-B. and LEE, C-S.
Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle, pp 895-914.

ISIKVEREN, A.T., AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G. and ALLEGRI, G.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

JANARTHANAM, S. and BABU, V.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet, pp 833-846.

JARVIS, S., NASCIMENTO, F.A.C. and MAJUMDAR, A.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

JEMITOLA, P.O., FIELDING, J. and STOCKING, P.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

JIAO, Y., WANG, J., PAN, X. and ZHOU, H.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

JIN, W., TAGHAV, R.R. and FAROKHI, S.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

JUNG, S.N. and PARK, J.-S.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight, pp 229-249.

KASHTALYAN, M. and WOODWARD, B.
Finite element modelling of sandwich panels with graded core under various boundary conditions, pp 1289-1314.

KEANE, A.J., HOLDEN, C.M.E., NURDIN, A. and BRESSLOFF, N.W.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

KHALID, M., BENISSAAD, S., NEMOUCHI, Z., DAHDI, B. and MAMOU, M.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

KHANAL, B., KNOWLES, K. and SADDINGTON, A.J.
Computational investigation of cavity flow control using a passive device, pp 153-174.

KINGSTON, J. and TSITAS, S.R.
6U CubeSat commercial applications, pp 189-198.

KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F. and SCHUHMACHER, G.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

KNOWLES, K., SADDINGTON, A.J. and KHANAL, B.
Computational investigation of cavity flow control using a passive device, pp 153-174.

LAMAR, J.
A career in vortices edge forces , pp 101-152.

LAWSON, N.J., GARRY, K.P. and MORARIS, V.M.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers , pp 757-767.

LAWSON, S.J. and BARAKOS, G.N.
Influence of stores on the flow inside UCAV weapon bays, pp 199-215.

LEE, J., ELGHALI, L., FRANCE, C., LLOYD, S. and CLIFTON, A.
A framework for environmental risk management, pp 941-961.

LEE, C-S. and HSIAO, F-B.
Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle, pp 895-914.

LI, G., HESS, R.A. and CAO, Y.
Helicopter flight characteristics in icing conditions, pp 963-979.

LIU, W., BAKER, N., RHEAD, A.T. and BUTLER, R.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

LIU, H., BIANCHI, F. and ZHANG, X.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

LLOYD, S., CLIFTON, A., LEE, J., ELGHALI, L. and FRANCE, C.
A framework for environmental risk management, pp 941-961.

LONE, M.M., RUSENO, N. and COOKE, A.K.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

MACMANUS, D., CHAPLIN, R., STOLLERY, J., MIFSUD, M. and ESTRUCH-SAMPER, D.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

MAITI, S.K., GUIAMATSIA, I., FALZON, B. and MUTHU, N.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

MAJUMDAR, A., JARVIS, S. and NASCIMENTO, F.A.C.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

MAMOU, M., KHALID, M., BENISSAAD, S., NEMOUCHI, Z. and DAHDI, B.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M. and POPOV, A.V.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M. and POPOV, A.V.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

MANCO, P., MORABITO, A.E., DATTOMA, V., DEGIORGI, M. and GIANCANE, S.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

MARTINS, J.R.R.A., PEREZ., R.E. and HENDERSON, R.P.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V. and MAMOU, M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V. and MAMOU, M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

MELEGA, M., TROIANI, E., MOLINARI, G. and MENEGHIN, I.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MENEGHIN, I., MELEGA, M., TROIANI, E. and MOLINARI, G.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MIFSUD, M., ESTRUCH-SAMPER, D., MACMANUS, D., CHAPLIN, R. and STOLLERY, J.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

MOHAMED, G., HODZIC, A. and SOUTIS, C.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

MOHAMED-KASSIM, Z. and FILIPPONE, A.
Multi-disciplinary simulation of propeller-turboprop aircraft flight, pp 985-1014.

MOLICACOLELLA, M., SERAFINI, J., GENNARETTI, M. and MURO, D.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

MOLINARI, G., MENEGHIN, I., MELEGA, M. and TROIANI, E.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MONTI, M., AIRIAU, C. and RONA, A.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

MORABITO, A.E., DATTOMA, V., DEGIORGI, M., GIANCANE, S. and MANCO, P.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

MORARIS, V.M., LAWSON, N.J. and GARRY, K.P.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers, pp 757-767.

MURO, D., MOLICACOLELLA, M., SERAFINI, J. and GENNARETTI, M.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

MURRAY-SMITH, D., BAGIEV, M., THOMSON, D.G. and ANDERSON, D.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

MURUGAN, M.S., GANGULI, R. and HARURSAMPATH, D.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

MUTHU, N., MAITI, S.K., GUIAMATSIA, I. and FALZON, B.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

MYRE, D.D., DOIG, G., BARBER, T.J. and NEELY, A.J.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

MYRE, D.D., DOIG, G., BARBER, T.J. and NEELY, A.J.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

NABAWY, M.R.A., ELNOMROSSY, M.M., ABDELRAHMAN, M.M. and ELBAYOUMI, G.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

NASCIMENTO, F.A.C., MAJUMDAR, A. and JARVIS, S.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

NEELY, A.J., MYRE, D.D., DOIG, G. and BARBER, T.J.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

NEELY, A.J., MYRE, D.D., DOIG, G. and BARBER, T.J.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

NEMOUCHI, Z., DAHDI, B., MAMOU, M., KHALID, M. and BENISSAAD, S.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

NEWMAN, B. and OMRAN, A.
Analytical Volterra-based models for nonlinear low order flight dynamics approximation systems, pp 1123-1153.

NG, Y.T.
Characterising low-speed, transitional cavity flow, pp 1185-1199.

NURDIN, A., BRESSLOFF, N.W., KEANE, A.J. and HOLDEN, C.M.E.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

O'BRIEN, C.W., SNYDER, M.R., HALLBERG, E.N. and CENKO, A.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

OCHIENG, W., SCHUSTER, W. and PORRETTA, M.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 045-66.

OLSSON, R.
Modelling of impact damage zones in composite laminates for strength after impact, pp 1349-1365.

OMRAN, A. and NEWMAN, B.
Analytical Volterra-based models for nonlinear low order flight dynamics approximation systems, pp 1123-1153.

OWEN, I., HODGE, S.J., FORREST, J.S. and PADFIELD, G.D.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

ÖZGEN, S. and CANIBEK, M.
In-flight ice formation simulation on finite wings and air intakes, pp 337-362.

PADFIELD, G.D., OWEN, I., HODGE, S.J. and FORREST, J.S.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

PAN, X., ZHOU, H., JIAO, Y. and WANG, J.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

PARK, J.-S. and JUNG, S.N.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight, pp 229-249.

PEREZ., R.E., HENDERSON, R.P. and MARTINS, J.R.R.A.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

PERRY, J. and CHAN, W.
Use of aerofoil section dynamic stall synthesis methods in rotor design, pp 501-520.

PINEDA, E.J. and WAAS, A.M.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations, pp 1221-1246.

POPOV, A.V., MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L. and BOTEZ, R.M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

POPOV, A.V., MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L. and BOTEZ, R.M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

PORRETTA, M., OCHIENG, W. and SCHUSTER, W.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 45-66.

PUNNIYAKOTTI, S. and STOLLERY, J.L.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed, pp 1207-1215.

RALSTON, J.N. and GINGRAS, D.R.
Aerodynamics modelling for training on the edge of the flight envelope, pp 67-86.

RHEAD, A.T., BUTLER, R., LIU, W. and BAKER, N.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

ROBINSON, T.D., ROBINSON, D. and BELL, M.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

ROBINSON, D., BELL, M. and ROBINSON, T.D.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

RODRÍGUEZ-CORTÉS, H. and ARIAS-MONTAÑO, A.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms, pp 175-188.

ROGERS, R.O. and BOQUET, A.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots, pp 1015-1039.

RONA, A., MONTI, M. and AIRIAU, C.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

RUSENO, N., COOKE, A.K. and LONE, M.M.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

SADDINGTON, A.J., KHANAL, B. and KNOWLES, K.
Computational investigation of cavity flow control using a passive device, pp 153-174.

SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M. and DAOUD, F.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

SCHUSTER, W., PORRETTA, M. and OCHIENG, W.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 45-66.

SERAFINI, J., GENNARETTI, M., MURO, D. and MOLICACOLELLA, M.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

SHENG, W., CHAN, W. and GALBRAITH, R.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

SHI, Y. and SOUTIS, C.
A finite element analysis of impact damage in composite laminates, pp 1331-1347.

SNYDER, M.R., HALLBERG, E.N., CENKO, A. and O'BRIEN, C.W.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

SOUTIS, C., MOHAMED, G. and HODZIC, A.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

SOUTIS, C. and SHI, Y.
A finite element analysis of impact damage in composite laminates, pp 1331-1347.

SOVIERO, P.A.O. and CAVALIERI, A.V.G.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method, pp 391-406.

STOCKING, P., JEMITOLA, P.O. and FIELDING, J.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

STOLLERY, J., MIFSUD, M., ESTRUCH-SAMPER, D., MACMANUS, D. and CHAPLIN, R.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

STOLLERY, J.L. and PUNNIYAKOTTI, S.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed, pp 1207-1215.

SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G. and KLUG, M.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

TAGHAV, R.R., FAROKHI, S. and JIN, W.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

THOMSON, D.G., ANDERSON, D., MURRAY-SMITH, D. and BAGIEV, M.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 87-98.

TROIANI, E., MOLINARI, G., MENEGHIN, I. and MELEGA, M.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

TSITAS, S.R. and KINGSTON, J.
6U CubeSat commercial applications, pp 189-198.

VECHTEL, D.
Flight simulator study on the influence of vortex curvature on wake encounter hazard using LES wind fields, pp 287-302.

WAAS, A.M. and PINEDA, E.J.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations, pp 1221-1246.

WANG, J., PAN, X., ZHOU, H. and JIAO, Y.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

WOODWARD, B. and KASHTALYAN, M.
Finite element modelling of sandwich panels with graded core under various boundary conditions, pp 1289-1314.

ZHANG, X., LIU, H. and BIANCHI, F.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

ZHOU, H., JIAO, Y., WANG, J. and PAN, X.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

ZHOU, J., GUAN, Z.W. and CANTWELL, W.J.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

ZIMMERMANN, R. and GÖRTZ, S.
Improved extrapolation of steady turbulent aerodynamics using a non-linear POD-based reduced order model, pp 1079-1100.

Referees: January – December 2012

The editorial staff would like to thank all the referees who provided valuable comments throughout 2012. Those who assisted on papers which reached a conclusion during 2012 are listed below:

D J Allerton
F Anselmet
K J Badcock
G Balas
R Banerjee
G Barakos
S Barbarino
M Blair
H A P Blom
A Bocci
V Bond
C Bruno
W Cantwell
Y Cao
R Chapman
L Chen
G Coleman
A Cross
A Darlington
W B S Dobie
J K Edgley
B Finlay
C R Forsey
R A McD Galbraith
R Gent
B German
L F Gonzalez
B Gray
D Guffon
M Guillaume
A Harrison
W Hass
J Heijstek
M E J Hickmott
D H Hodges
S S Houston
R I Horton
D Howe
W Huebsch
L L Hyde
I-S Jeung
J Jupp
W Joon
N A J Lieven
R Lind
P Mantegazza
S Marques
C P Massey
D Mavris
R C Mehta
T Melin
K Menzies
J V Miller
H P Monner
J Morrison
P M Murray
R Nangia
S J Newman
A Ordys
N Qin
T Rahulan
J Ralph
T Rendall
G T Roberts
C Roper
M Smart
P Spalart
D Stinton
I W Strachan
C Suchomel
K Takeda
D G Thomson
B N Tomlinson
H Torode
D Vorley
J Walsh
Z Wang
W Warmbrodt
P Weaver
B R Williams
C Winkler

The editorial staff also thank the Associate Editors for their guidance throughout 2012.

Volume CXVI

Number 1175	January	pp 1-98
Number 1176	February	pp 101-226
Number 1177	March	pp 229-335
Number 1178	April	pp 337-430
Number 1179	May	pp 433-566
Number 1180	June	pp 569-682
Number 1181	July	pp 685-774
Number 1182	August	pp 777-869
Number 1183	September	pp 873-983
Number 1184	October	pp 985-1100
Number 1185	November	pp 1103-1215
Number 1186	December	pp 1219-1400